

SAFETY DATA SHEET

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 05-28-2018

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 – Product Identifier

Product Number: 2660-0903
Product Identifier: Dust Mop Treat and Dust Cloth Treatment II

1.2 – Details of the Supplier of the Safety Data Sheet

Manufactured For: Gabriel First Corp.
233 W. Commercial Street
East Rochester, NY 14445
Telephone: 585-381-7000

1.3 – Emergency Telephone Number

Emergency Telephone: 800-424-9300

1.4 – Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use: Not available.
Recommended Restrictions: None known

Section 2 – Hazard's Identification

2.1 – Classification of the Substance or Mixture

Physical Hazards: Flammable aerosols. Category 1
Health Hazards: Aspiration hazard. Category 1
Environmental Hazards: Not classified.
OSHA Defined Hazards: Not classified.

2.2 – Label Elements

Label Elements:



Signal Word: Danger
Hazard Statement: Extremely flammable aerosol. May be fatal if swallowed and enters airways.

Precautionary Statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
Response: If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.
Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 – Other Hazards

Hazard(s) Not Otherwise Classified (HNOC): None known.
Supplemental Information: None.

Section 3 – Composition/Information on Ingredients

3.1 – Mixtures

Chemical Name	Common Name and Synonyms	CAS Number	%
Distillates (Petroleum), Hydrotreated Light		64742-47-8	60 - 80
Propane		74-98-6	10 - 20
White Mineral Oil		8042-47-5	10 - 20
Other components below reportable levels.			2.5 - 10

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 4 – First Aid Measures

4.1 – Description of First Aid Measures

First Aid Measures After Inhalation:	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
First Aid Measures After Skin Contact:	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
First Aid Measures After Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
First Aid Measures After Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2 – Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects, Acute and Delayed:	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation.
Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

4.3 – General Information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

Section 5 – Fire-Fighting Measures

5.1 – Extinguishing Media

Suitable Extinguishing Media:	Alcohol resistant foam. Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO ₂).
Unsuitable Extinguishing Media:	Do not use water jet as an extinguisher, as this will spread the fire.

5.2 – Special Hazards Arising From the Substance or Mixture

Specific Hazards Arising from the Chemical:	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
--	---

5.3 – Advice for Firefighters

Special Protective Equipment and Precautions for Firefighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting Equipment/Instructions:	Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific Methods:	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol.

Section 6 – Accidental Release Measures

6.1 – Personal Precautions, Protective Equipment and Emergency Procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2 – Methods and Material for Containment and Cleaning Up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Never return spills in original containers for re-use.

6.3 – Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 7 – Handling and Storage

7.1 – Precautions for Safe Handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

7.2 – Conditions for Safe Storage, Including Any Incompatibilities

Level 3 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 – Exposure Controls/Personal Protection

8.1 – Control Parameters

Occupational Exposure Limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)		
Components	Type	Value
Propane (CAS 74-98-6)	PEL	1800 mg/m3 1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards		
Components	Type	Value
Propane (CAS 74-98-6)	TWA	1800 mg/m3 1000 ppm

Biological Limit Values
No biological exposure limits noted for the ingredient(s).

8.2 – Exposure Controls

Appropriate engineering controls: Explosion-proof general and local exhaust ventilation.

Individual Protection Measures, Such As Personal Protective Equipment:

Eye/face Protection: Face shield is recommended. Wear safety glasses with side shields (or goggles).

Hand Protection: Wear appropriate chemical resistant gloves.

Skin Protection

Other: Wear suitable protective clothing.

Respiratory Protection: If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary.

General Hygiene Considerations: When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 – Physical and Chemical Properties

9.1 – Information on Basic Physical and Chemical Properties

Appearance

Physical State: Gas.

Form: Aerosol.

Color: Not available.

Odor: Not available.

Odor Threshold: Not available.

pH: Not available.

Melting Point/Freezing Point: Not available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Initial Boiling Point and Boiling Range:	107.26 °F (41.81 °C) estimated
Flash Point:	-156.0 °F (-104.4 °C) Propellant estimated
Evaporation Rate:	Not available.
Flammability (solid, gas):	Not available.
Upper/Lower Flammability or Explosive Limits	
Flammability Limit – Lower (%):	0.7 % estimated
Flammability Limit – Upper (%):	8.5 % estimated
Explosive Limit - Lower (%):	Not available.
Explosive Limit - Upper (%):	Not available.
Vapor Pressure:	35 - 50 psig @20C estimated
Vapor Density:	Not available.
Relative Density:	Not available.
Solubility(ies)	
Solubility (water):	Not available.
Partition Coefficient (n-octanol/water):	Not available.
Auto-ignition Temperature:	439.95 °F (226.64 °C) estimated
Decomposition Temperature:	Not available.
Viscosity:	Not available.
9.2 – Other Information	
Specific Gravity:	0.748 estimated

Section 10 – Stability and Reactivity

10.1 – Reactivity

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur.
Conditions to Avoid:	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible Materials:	Strong oxidizing agents. Fluorine. Chlorine. Nitrates.
Hazardous Decomposition Products:	No hazardous decomposition products are known.

Section 11 – Toxicological Information

11.1 – Information on Likely Routes of Exposure

Ingestion:	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung edema or pneumonia.
Inhalation:	Not available.
Skin contact:	No adverse effects due to skin contact are expected.
Eye contact:	Direct contact with eyes may cause temporary irritation.
Symptoms Related to the Physical, Chemical and Toxicological Characteristics:	If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death. Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation.

11.2 – Information on Toxicological Effects

Acute Toxicity	May be fatal if swallowed and enters airways. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.
-----------------------	---

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Components	Species	Test Results
Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)		
Acute <i>Dermal</i> LD50	Rabbit	> 2000 mg/kg > 2000 mg/kg, 24 Hours
<i>Inhalation</i> LC50	Rat	> 7.5 mg/l, 6 Hours > 4.6 mg/l, 4 Hours
<i>Oral</i> LD50	Rat	> 5000 mg/kg
Propane (CAS 74-98-6)		
Acute <i>Inhalation</i> LC50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes
	Rat	1355 mg/l 658 mg/l/4h
White Mineral Oil (CAS 8042-47-5)		
Acute <i>Dermal</i> LD50	Rabbit	> 2000 mg/kg, 24 Hours
<i>Inhalation</i> LC50	Rat	2.18 mg/l, 4 Hours
<i>Oral</i> LD50	Rat	> 5000.0001 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin Corrosion/Irritation:	Prolonged skin contact may cause temporary irritation.
Serious Eye Damage/Eye Irritation:	Direct contact with eyes may cause temporary irritation.
Respiratory or Skin Sensitization:	
Respiratory Sensitization:	Not a respiratory sensitizer.
Skin Sensitization:	This product is not expected to cause skin sensitization.
Germ Cell Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity:	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not listed.	
Reproductive Toxicity:	This product is not expected to cause reproductive or developmental effects.
Specific Target Organ Toxicity - Single Exposure:	Not classified.
Specific Target Organ Toxicity – Repeated Exposure:	Not classified.
Aspiration Hazard:	May be fatal if swallowed and enters airways.
Chronic Effects:	Prolonged or repeated contact may cause drying, cracking, or irritation.

Section 12 – Ecological Information

12.1 – Ecotoxicity

Ecotoxicity: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)		
Aquatic		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)
		2.9 mg/l, 96 hours

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Components		Species	Test Results
White Mineral Oil (CAS 8042-47-5)			
Aquatic			
Fish	LC50	Fish	10000.0001, 96 Hours

* Estimates for product may be based on additional component data not shown.

12.2 – Persistence and Degradability

No data is available on the degradability of this product.

12.3 – Bioaccumulative Potential

No data available.

Partition coefficient n-octanol / water (log Kow)	
Propane	2.36

12.4 – Mobility in Soil

No data available.

Other Adverse Effects:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13 – Disposal Considerations

13.1 – Waste Treatment Methods

Disposal Instructions:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local Disposal Regulations:

Dispose in accordance with all applicable regulations.

Hazardous Waste Code:

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste From Residues / Unused Products:

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging:

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

Section 14 – Transport Information

DOT

UN Number:	UN1950
UN Proper Shipping Name:	Aerosols, flammable.
Transport Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	-
Label(s)	2.1
Packing Group:	Not applicable.
Special Precautions For User:	Read safety instructions, SDS and emergency procedures before handling.
Special Provisions:	N82
Packaging Exceptions:	306
Packaging Non-Bulk:	None
Packaging Bulk:	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity.

Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IATA

UN Number	UN1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	-
Label(s)	2.1
Packing Group:	Not applicable.
Environmental Hazards:	No.
Special Precautions For User:	Read safety instructions, SDS and emergency procedures before handling.
Other Information	
Passenger and Cargo Aircraft:	Forbidden.
Cargo Aircraft Only:	Forbidden.
Packaging Exceptions:	LTD QTY

IMDG

UN Number:	UN1950
UN Proper Shipping Name:	AEROSOLS
Transport Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	-
Label(s)	2.1
Packing Group:	Not applicable.
Environmental Hazards	
Marine Pollutant:	No.
EmS:	Not available.
Special Precautions For User:	Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions:	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable.

DOT



IATA; IMDG



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 15 – Regulatory Information

15.1 – US Federal Regulations

US Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency Release Notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - Yes

Pressure Hazard - Yes

Reactivity Hazard - No

SARA 302 Extremely Hazardous Substance

Not listed.

SARA 311/312 Hazardous Chemical

No.

SARA 313 (TRI reporting)

Not regulated.

Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Propane (CAS 74-98-6)

Safe Drinking Water Act (SDWA)

Not regulated.

15.2 – US State Regulations

US. Massachusetts RTK – Substance List

Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Propane (CAS 74-98-6)

US. Rhode Island RTK

Propane (CAS 74-98-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

15.3 – International Inventories

Country(s) or Region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



Dust Mop Treat and Dust Cloth Treatment II

Item No. 2660-0903

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 16 – Other Information

Issue Date:

05-28-2015

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.