

SAFETY DATA SHEET

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05-28-2018

Section 1 - Identification of the Substance/Mixture and of the Company/Undertaking

1.1 - Product Identifier

Product Number: 2660-0906
Product Identifier: Quick Shine

1.2 - Details of the Supplier of the Safety Data Sheet

Manufactured For: Gabriel First Corp.

233 W. Commercial Street

East Rochester, NY 14445

Telephone: 585-381-7000

1.3 – Emergency Telephone Number

Emergency Telephone: 800-424-9300

1.4 – Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use: Not available
Recommended Restrictions: None known

Section 2 - Hazard's Identification

2.1 - Classification of the Substance or Mixture

Physical Hazards: Flammable aerosols Category 1

Health Hazards:Not classified.Environmental Hazards:Not classified.OSHA defined hazardsNot classified.

2.2 - Label Elements

Label Elements:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

Precautionary Statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Response: Wash hands after handling.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal: Not available.

2.3 - Other Hazards

Hazard(S) Not Otherwise None known.

Classified (HNOC):

Supplemental Information: None.

Section 3 - Composition/Information on Ingredients

3.1 - Mixtures

Chemical Name	Common Name and Synonyms	CAS Number	%
Butane		106-97-8	2.5 - 10
Propane		74-98-6	1 - 2.5
Other components below reportable levels			90 - 100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Page **1** of **8** 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 4 - First Aid Measures

4.1 - Description of First Aid Measures

First Aid Measures After Inhalation: If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

First Aid Measures After Skin Contact: Wash off with soap and water. Get medical attention if irritation develops and persists.

First Aid Measures After Eye Contact: Rinse with water. Get medical attention if irritation develops and persists.

First Aid Measures After Ingestion: Rinse mouth. Get medical attention if symptoms occur.

4.2 - Most Important Symptoms/Effects, Acute and Delayed

Direct contact with eyes may cause temporary irritation.

4.3 - Indication of Any Immediate Medical Attention and Special Treatment Needed

Provide general supportive measures and treat symptomatically.

4.4 - General Information

General Information: Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

Section 5 – Fire-Fighting Measures

5.1 - Extinguishing Media

Suitable Extinguishing Media: Not available

Unsuitable Extinguishing Media:Do not use water jet as an extinguisher, as this will spread the fire.

5.2 – Special Hazards Arising From the Substance or Mixture

Specific Hazards Arising from the Chemical: Contents under pressure. Pressurized container may explode when exposed to heat or flame.

5.3 – Advice for Firefighters

Special Protective Equipment and Firefighters must use standard protective equipment including flame retardant coat, helmet

Precautions for Firefighters: with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-Fighting Equipment/Instructions: Move containers from fire area if you can do so without risk. Containers should be cooled with

water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose

holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific Methods: Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk. In the event of fire and/or explosion

do not breathe fumes.

General Fire Hazards: Extremely flammable aerosol.

Section 6 - Accidental Release Measures

6.1 - Personal Precautions, Protective Equipment and Emergency Procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

6.2 – Methods and Material for Containment and Cleaning Up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see Section 13 of the SDS.

6.3 – Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 – Handling and Storage

7.1 – Precautions for Safe Handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Page 2 of 8 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2 – Conditions for Safe Storage, Including Any Incompatibilities

Level 1 Aerosol

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure Controls/Personal Protection

8.1 - Control Parameters

Occupational Exposure Limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)				
Components	Type	Value		
Propane (CAS 74-98-6)	PEL	1800 mg/m3		
		1000 ppm		
US. ACGIH Threshold Limit Values				
Components	Туре	Value		
Butane (CAS 106-97-8)	STEL	1000 ppm		
US. NIOSH: Pocket Guide to Chemical Hazards				
Components	Туре	Value		
Butane (CAS 106-97-8)	TWA	1900 mg/m3		
		800 ppm		
Propane (CAS 74-98-6)	TWA	1800 mg/m3		
		1000 ppm		

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

8.2 - Exposure Controls

Appropriate Engineering Controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual Protection Measures, Such As Personal Protective Equipment:

Eye/face Protection: Wear safety glasses with side shields (or goggles). **Hand Protection:** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory Protection: If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal Hazards: Wear appropriate thermal protective clothing, when necessary.

General Hygiene Considerations: When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Section 9 – Physical and Chemical Properties

9.1 – Information on Basic Physical and Chemical Properties

Appearance

Physical State: Gas.
Form: Aerosol.
Color: White.
Odor: Citrus

Odor Threshold: Not available.

pH: 10 - 11 estimated

Melting Point/Freezing Point: Not available.

Initial Boiling Point And Boiling Range: 212 °F (100 °C) estimated

Page **3** of **8** 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash Point: -156.0 °F (-104.4 °C) Propellant estimated

Evaporation Rate: Not available. Flammability (Solid, Gas): Not available.

Upper/Lower Flammability or Explosive Limits

Flammability Limit - Lower (%): Not available.
Flammability Limit - Upper (%): Not available.
Explosive Limit - Lower (%): Not available.
Explosive Limit - Upper (%): Not available.

Vapor Pressure: 65 - 85 psig @20C estimated

Vapor Density: Not available.

Relative Density: Not available.

Solubility(ies):

Solubility (Water):

Partition Coefficient (n-octanol/water):

Auto-ignition Temperature:

Decomposition Temperature:

Viscosity:

Not available.

Not available.

Not available.

9.2 – Other Information

Specific Gravity: 0.991 - 1.002 estimated.

Section 10 - Stability and Reactivity

10.1 - Reactiviity

Reactivity:The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical Stability: Material is stable under normal conditions. **Possibility of Hazardous Reactions:** Hazardous polymerization does not occur.

Conditions to Avoid: Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: No hazardous decomposition products are known.

Section 11 – Toxicological Information

11.1 - Information on Likely Routes of Exposure

Ingestion: Expected to be a low ingestion hazard.

Inhalation:No adverse effects due to inhalation are expected.Skin Contact:No adverse effects due to skin contact are expected.Eye contact:Direct contact with eyes may cause temporary irritation.Symptoms Related to the Physical,Direct contact with eyes may cause temporary irritation.

Chemical and Toxicological Characteristics:

11.2 – Information on Toxicological Effects

Acute Toxicity

Components	Species	Test Results
Butane (CAS 106-97-8)		
Acute Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes 52 %,120 Minutes mg/l, 4 Hours
	Rat	1355 mg/l

Page **4** of **8** 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Components	Species	Test Results	
Propane (CAS 74-98-6)			
Acute Inhalation LC50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes	
	Rat	1355 mg/l 658 mg/l/4h	

^{*} Estimates for product may be based on additional component data not shown.

Skin Corrosion/Irritation: Prolonged skin contact may cause temporary irritation.

Serious Eye Damage/Eye Irritation: Direct contact with eyes may cause temporary irritation.

Respiratory or Skin Sensitization

Respiratory Sensitization: Not available.

Skin Sensitization: This product is not expected to cause skin sensitization.

Germ Cell Mutagenicity: No data available to indicate product or any components present at greater than 0.1%

are mutagenic or genotoxic.

Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity -

Single Exposure:

Not classified.

Specific Target Organ Toxicity -

Repeated Exposure:

Not classified.

Aspiration Hazard: Not likely, due to the form of the product.

Section 12 – Ecological Information

12.1 - Ecotoxity

Ecotoxity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2 – Persistence and Degradability

No data is available on the degradability of this product.

12.3 - Bioaccumulative Potential

No data available.

Partition coefficient n-octanol / water (log Kow)			
Butane	2.89		
Propane	2.36		

12.4 - Mobility in Soil

No data available.

Other Adverse Effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13 – Disposal Considerations

13.1 - Waste Treatment Methods

Disposal Instructions:Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local Disposal Regulations: Dispose in accordance with all applicable regulations.

Hazardous Waste Code: The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Page **5** of **8** 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste From Residues / Unused Products: Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner

(see: Disposal instructions).

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container

Is emptied. Do not re-use empty containers.

Section 14 – Transport Information

DOT

UN Number: UN1950

UN Proper Shipping Name: Aerosols, flammable.

Transport Hazard Class(es)

2.1 Class: **Subsidiary Risk:** Label(s) 2.1

Packing Group: Not applicable.

Special Precautions For User: Read safety instructions, SDS and emergency procedures before handling.

Special Provisions: N82 306 **Packaging Exceptions:** Packaging Non-Bulk: None Packaging Bulk: None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN Number UN1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

2.1 Class: **Subsidiary Risk:** 2.1 Label(s)

Packing Group: Not applicable.

Environmental Hazards: No **ERG Code:** 10L

Special Precautions For User: Read safety instructions, SDS and emergency procedures before handling.

Other Information

Passenger and Cargo Aircraft: Allowed Cargo Aircraft Only: Allowed **Packaging Exceptions:** LTD QTY

IMDG

UN1950 **UN Number: UN Proper Shipping Name: AEROSOLS**

Transport Hazard Class(es)

Class: 2.1 **Subsidiary Risk:** Label(s) 2.1

Not applicable. **Packing Group:**

Environmental Hazards

Marine Pollutant: No F-D, S-U EmS:

Special Precautions For User: Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions: LTD QTY Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC Code:

Not applicable.

Page 6 of 8 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT



IATA; IMDG



Section 15 - Regulatory Information

15.1 - US Federal Regulations

US Federal Regulations:

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency Release Notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories: Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely Hazardous Substance

Chemical Name	CAS Number	Reportable Quantity	Threshold Planning Quantity	Threshold Planning Quantity, Lower Value	Threshold Planning Quantity, Upper Value
Anhydrous Ammonia	7664-41-7	100	500 lbs		

SARA 311/312 Hazardous Chemical:

Not regulated.

No

SARA 313 (TRI Reporting)
Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Safe Drinking Water Act (SDWA) Not regulated.

Page **7** of **8** 150917.08



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2 - US State Regulations

US. Massachusetts RTK - Substance List

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. Rhode Island RTK

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

15.3 - International Inventories

Country(s) or Region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINEC	S) No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other Information

Issue date 05-28-2015

Disclaimer:The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Page **8** of **8** 150917.08