

**SAFETY DATA SHEET**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 09-22-2018

**Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking****1.1 – Product Identifier**

Product Number: 2660-0943  
Product Identifier: Stainless Steel Polish

**1.2 – Details of the Supplier of the Safety Data Sheet**

Manufactured For: Gabriel First Corp.  
233 W. Commercial Street  
East Rochester, NY 14445  
Telephone: 585-381-7000

**1.3 – Emergency Telephone Number**

Emergency Telephone: 800-424-9300

**1.4 – Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**

Recommended Use: Cleaner  
Recommended Restrictions: None known

**Section 2 – Hazard's Identification****2.1 – Classification of the Substance or Mixture**

Physical Hazards:	Flammable aerosols.	Category 1
Health Hazards:	Serious eye damage/eye irritation.	Category 2A
	Specific target organ toxicity, single exposure.	Category 3 narcotic effects
	Aspiration hazard.	Category 1
Environmental Hazards:	Not classified.	
OSHA Defined Hazards:	Not classified.	

**2.2 – Label Elements**

Label Elements:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause drowsiness or dizziness.

**Precautionary Statement**

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear eye/face protection.

Response: If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal: Not available.

**2.3 – Other Hazards**

Hazard(S) Not Otherwise Classified (HNOC): None known.

Supplemental Information: None

**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Section 3 – Composition/Information on Ingredients****3.1 – Mixtures**

Chemical Name	Common Name and Synonyms	CAS Number	%
Distillates (Petroleum), Hydrotreated Light		64742-47-8	20 - 40
White Mineral Oil		8042-47-5	20 - 40
Acetone		67-64-1	10 - 20
Propane		74-98-6	10 - 20
Methyl Acetate		79-20-9	2.5 - 10
Other components below reportable levels			1 - 2.5

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Section 4 – First Aid Measures****4.1 – Description of First Aid Measures**

<b>First Aid Measures After Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>First Aid Measures After Skin Contact:</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>First Aid Measures After Eye Contact:</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>First Aid Measures After Ingestion:</b>	Rinse mouth. Get medical attention if symptoms occur.

**4.2 – Most Important Symptoms/Effects, Acute and Delayed**

<b>Most Important Symptoms/Effects, Acute and Delayed:</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
<b>Indication of Immediate Medical Attention and Special Treatment Needed:</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**4.3 – General Information**

<b>General Information:</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
-----------------------------	--

**Section 5 – Fire-Fighting Measures****5.1 – Extinguishing Media**

<b>Suitable Extinguishing Media:</b>	Powder. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable Extinguishing Media:</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**5.2 – Special Hazards Arising From the Substance or Mixture**

<b>Specific Hazards Arising from the Chemical:</b>	Contents under pressure. Pressurized container may explode when exposed to heat or flame.
--	---

**5.3 – Advice for Firefighters**

<b>Special Protective Equipment and Precautions for Firefighters:</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
<b>Fire-Fighting Equipment/Instructions:</b>	Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
<b>Specific Methods:</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
<b>General Fire Hazards:</b>	Extremely flammable aerosol.

**Section 6 – Accidental Release Measures****6.1 – Personal Precautions, Protective Equipment and Emergency Procedures**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.2 – Methods and Material for Containment and Cleaning Up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

### 6.3 – Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

## Section 7 – Handling and Storage

### 7.1 – Precautions for Safe Handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

### 7.2 – Conditions for Safe Storage, Including Any Incompatibilities

Level 3 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8 – Exposure Controls/Personal Protection

### 8.1 – Control Parameters

#### Occupational Exposure Limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)		
Components	Type	Value
Acetone (CAS 67-64-1)	PEL	2400 mg/m3 1000 ppm
Methyl Acetate (CAS 79-20-9)	PEL	610 mg/m3 200 ppm
Propane (CAS 74-98-6)	PEL	1800 mg/m3 1000 ppm

US. ACGIH Threshold Limit Values		
Components	Type	Value
Acetone (CAS 67-64-1)	STEL	750 ppm
	TWA	500 ppm
Methyl Acetate (CAS 79-20-9)	STEL	250 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards		
Components	Type	Value
Acetone (CAS 67-64-1)	TWA	590 mg/m3 250 ppm
		760 mg/m3 250 ppm
Methyl Acetate (CAS 79-20-9)	TWA	610 mg/m3 200 ppm
		1800 mg/m3 1000 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m3 1000 ppm

#### Biological Limit Values

ACGIH Biological Exposure Indices				
Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**8.2 – Exposure Controls**

<b>Appropriate Engineering Controls:</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
<b>Individual Protection Measures, Such As Personal Protective Equipment:</b>	
<b>Eye/Face Protection:</b>	Wear safety glasses with side shields (or goggles).
<b>Hand Protection:</b>	Wear appropriate chemical resistant gloves.
<b>Skin Protection</b>	
<b>Other:</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory Protection:</b>	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
<b>Thermal Hazards:</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General Hygiene Considerations:</b>	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Section 9 – Physical and Chemical Properties****9.1 – Information on Basic Physical and Chemical Properties**

<b>Appearance:</b>	Clear.
<b>Physical State:</b>	Gas.
<b>Form:</b>	Aerosol.
<b>Color:</b>	Light yellow.
<b>Odor:</b>	Citrus
<b>Odor Threshold:</b>	Not available.
<b>pH:</b>	Not available.
<b>Melting Point/Freezing Point:</b>	Not available.
<b>Initial Boiling Point and Boiling Range</b>	62.94 °F (17.19 °C) estimated.
<b>Flash Point:</b>	-156.0 °F (-104.4 °C) Propellant estimated.
<b>Evaporation Rate:</b>	Not available.
<b>Flammability (solid, gas):</b>	Not available.
<b>Upper/Lower Flammability or Explosive Limits</b>	
<b>Flammability Limit – Lower (%):</b>	2.6 % estimated.
<b>Flammability Limit - Upper (%):</b>	12.3 % estimated.
<b>Explosive Limit - Lower (%):</b>	Not available.
<b>Explosive Limit – Upper (%):</b>	Not available.
<b>Vapor Pressure:</b>	45 - 65 psig @70F estimated.
<b>Vapor Density:</b>	Not available.
<b>Relative Density:</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water):</b>	Not available.
<b>Partition Coefficient (n-octanol/water):</b>	Not available.
<b>Auto-ignition Temperature:</b>	590.25 °F (310.14 °C) estimated.
<b>Decomposition Temperature:</b>	Not available.
<b>Viscosity:</b>	Not available.

**9.2 – Other Information**

<b>Specific Gravity:</b>	0.765 - 0.865 estimated.
--------------------------	--------------------------

**Section 10 – Stability and Reactivity****10.1 – Reactivity**

<b>Reactivity:</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of Hazardous Reactions:</b>	Hazardous polymerization does not occur.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Conditions to Avoid:</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible Materials:</b>	Acids. Strong oxidizing agents. Nitrates.
<b>Hazardous Decomposition Products:</b>	No hazardous decomposition products are known.

### Section 11 – Toxicological Information

#### 11.1 – Information on Likely Routes of Exposure

<b>Ingestion:</b>	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
<b>Inhalation:</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Narcotic effects. Prolonged inhalation may be harmful.
<b>Skin Contact:</b>	No adverse effects due to skin contact are expected.
<b>Eye Contact:</b>	Causes serious eye irritation.
<b>Symptoms Related to the Physical, Chemical and Toxicological Characteristics:</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

#### 11.2 – Information on Toxicological Effects

**Acute Toxicity:** May be fatal if swallowed and enters airways. Narcotic effects.

Components	Species	Test Results
<b>Acetone (CAS 67-64-1)</b>		
<b>Acute</b> <i>Dermal</i> LD50  <i>Inhalation</i> LC50  <i>Oral</i> LD50	Guinea pig  Rabbit  Rat  Rat	> 7426 mg/kg, 24 Hours > 9.4 ml/kg, 24 Hours  > 7426 mg/kg, 24 Hours > 9.4 ml/kg, 24 Hours  55700 ppm, 3 Hours 132 mg/l, 3 Hours 50.1 mg/l  5800 mg/kg 2.2 ml/kg
<b>Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)</b>		
<b>Acute</b> <i>Dermal</i> LD50  <i>Inhalation</i> LC50  <i>Oral</i> LD50	Rabbit  Rat  Rat	> 2000 mg/kg > 2000 mg/kg, 24 Hours  > 7.5 mg/l, 6 Hours > 4.6 mg/l, 4 Hours  > 5000 mg/kg
<b>Methyl Acetate (CAS 79-20-9)</b>		
<b>Acute</b> <i>Dermal</i> LD50  <i>Inhalation</i> LC100  <i>Oral</i> LD50	Rat  Rabbit  Rat	> 2000 mg/kg, 24 Hours  98.4 mg/l, 4 Hours  6482 mg/kg

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propane (CAS 74-98-6)		
<b>Acute</b> <i>Inhalation</i> LC50	Mouse	1237 mg/l, 120 Minutes
	Rat	52 %, 120 Minutes 1355 mg/l 658 mg/l/4h
White Mineral Oil (CAS 8042-47-5)		
<b>Acute</b> <i>Dermal</i> LD50  <i>Inhalation</i> LC50  <i>Oral</i> LD50	Rabbit	> 2000 mg/kg, 24 Hours
	Rat	2.18 mg/l, 4 Hours
	Rat	5000.0001 mg/kg

\* Estimates for product may be based on additional component data not shown.

<b>Skin Corrosion/Irritation:</b>	Prolonged skin contact may cause temporary irritation.
<b>Serious Eye Damage/Eye Irritation:</b>	Causes serious eye irritation.
<b>Respiratory or Skin Sensitization</b>	
<b>Respiratory Sensitization:</b>	Not available.
<b>Skin Sensitization:</b>	This product is not expected to cause skin sensitization.
<b>Germ Cell Mutagenicity:</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity:</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	
	Not Listed
<b>Reproductive Toxicity:</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific Target Organ Toxicity – Single Exposure:</b>	May cause drowsiness and dizziness.
<b>Specific Target Organ Toxicity – Repeated Exposure:</b>	Not classified.
<b>Aspiration Hazard:</b>	May be fatal if swallowed and enters airways.
<b>Chronic Effects:</b>	Prolonged inhalation may be harmful.

## Section 12 – Ecological Information

### 12.1 – Ecotoxicity

**Exotoxicity:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Acetone (CAS 67-64-1)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	4740 - 6330 mg/l, 96 hours
Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)			
Aquatic			
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
Methyl Acetate (CAS 79-20-9)			
Aquatic			
Algae	IC50	Algae	120.0001 mg/L, 72 Hours
Crustacea	EC50	Daphnia	1026.7 mg/L, 48 Hours
Fish	LC50	Fathead minnow (Pimephales promelas)	295 - 348 mg/l, 96 hours

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

White Mineral Oil (CAS 8042-47-5)			
Aquatic			
Fish	LC50	Fish	10000.0001, 96 Hours

\* Estimates for product may be based on additional component data not shown.

### 12.2 – Persistence and Degradability

No data is available on the degradability of this product.

### 12.3 – Bioaccumulative Potential

No data available.

Partition coefficient n-octanol / water (log Kow)	
Acetone	-0.24
Methyl Acetate	0.18
Propane	2.36

### 12.4 – Mobility in Soil

No data available.

#### Other Adverse Effects:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13 – Disposal Considerations

### 13.1 – Waste Treatment Methods

#### Disposal Instructions:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Local Disposal Regulations:

Dispose in accordance with all applicable regulations.

#### Hazardous Waste Code:

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

#### US RCRA Hazardous Waste U List: Reference

Acetone (CAS 67-64-1) U002

#### Waste from Residues / Unused Products:

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

#### Contaminated Packaging:

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

## Section 14 – Transport Information

### DOT

<b>UN Number:</b>	UN1950
<b>UN Proper Shipping Name:</b>	Aerosols, flammable
<b>Transport Hazard Class(es)</b>	
<b>Class:</b>	2.1
<b>Subsidiary Risk:</b>	-
<b>Label(s):</b>	2.1
<b>Packing Group:</b>	Not applicable.
<b>Special Precautions for User:</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special Provisions:</b>	N82
<b>Packaging Exceptions:</b>	306
<b>Packaging Non-Bulk:</b>	None
<b>Packaging Bulk:</b>	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**IATA**

<b>UN Number:</b>	UN1950
<b>UN Proper Shipping Name:</b>	Aerosols, flammable
<b>Transport Hazard Class(es)</b>	
Class:	2.1
Subsidiary Risk:	-
Label(s):	2.1
<b>Packing Group:</b>	Not applicable
<b>Environmental Hazards:</b>	No
<b>ERG Code:</b>	10L
<b>Special Precautions for User:</b>	Read safety instructions, SDS and emergency procedures before handling.

**Other Information**

<b>Passenger and Cargo Aircraft:</b>	Allowed
<b>Cargo Aircraft Only:</b>	Allowed
<b>Packaging Exceptions:</b>	LTD QTY

**IMDG**

<b>UN Number:</b>	UN1950
<b>UN Proper Shipping Name:</b>	AEROSOLS
<b>Transport Hazard Class(es)</b>	
Class	2.1
Subsidiary Risk:	-
Label(s)	2.1
<b>Packing Group</b>	Not applicable
<b>Environmental Hazards</b>	
<b>Marine Pollutant</b>	No.
<b>EmS</b>	F-D, S-U
<b>Special Precautions For User:</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Packaging Exceptions:</b>	LTD QTY
<b>Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable

**DOT****IATA; IMDG****Section 15 – Regulatory Information****15.1 – US Federal Regulations****US Federal Regulations:**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.



**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Acetone (CAS 67-64-1) Listed.

**SARA 304 Emergency Release Notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****Hazard Categories**Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No**SARA 302 Extremely Hazardous Substance**

Not listed.

**SARA 311/312 Hazardous Chemical**

No.

**SARA 313 (TRI reporting)**

Chemical Name	CAS Number	% by Wt.
Methanol	67-56-1	0.1 - 1
Acetaldehyde	75-07-0	0.01 - 0.1

**Other Federal Regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Propane (CAS 74-98-6)

**Safe Drinking Water Act (SDWA):** Not regulated.**Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number**

Acetone (CAS 67-64-1) 6532

**Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

Acetone (CAS 67-64-1) 35 %WV

**DEA Exempt Chemical Mixtures Code Number**

Acetone (CAS 67-64-1) 6532

**15.2 – US State Regulations****US. Massachusetts RTK - Substance List**Acetone (CAS 67-64-1)  
Methyl Acetate (CAS 79-20-9)  
Propane (CAS 74-98-6)**US. New Jersey Worker and Community Right-to-Know Act**Acetone (CAS 67-64-1)  
Methyl Acetate (CAS 79-20-9)  
Propane (CAS 74-98-6)**US. Pennsylvania Worker and Community Right-to-Know Law**Acetone (CAS 67-64-1)  
Methyl Acetate (CAS 79-20-9)  
Propane (CAS 74-98-6)**US. Rhode Island RTK**Acetone (CAS 67-64-1)  
Propane (CAS 74-98-6)**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Acetaldehyde (CAS 75-07-0) Listed: April 1, 1988

**US - California Proposition 65 - CRT: Listed date/Developmental toxin**

Methanol (CAS 67-56-1) Listed: March 16, 2012

**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**15.3 – International Inventories**

Country(s) or Region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Section 16 – Other Information**

**Revision Date:** 09-22-2015

**Disclaimer:** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision Information** Composition / Information on Ingredients: Component Summary.